

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : perma High temp. grease SF03

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

perma-tec GmbH & Co. KG  
Hammelburger Str. 21  
97717 EUERDORF  
GERMANY  
Tel: +49 9704 609-0  
Fax: +49 9704 609-50  
www.perma-tec.com

E-mail address of person  
responsible for the SDS : msds@perma-tec.com

National contact :

1.4 Emergency telephone number +49 9704 609-99 (Mo-Do 08:00-16:30, Fr 08:00-12:00)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412      Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273      Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : ester oil  
perfluorinated polyether oil  
polyurea  
solid lubricant

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
Polyurea	1266545-93-0  01-0000017719-58-0000 01-0000017719-58-0002 01-0000017719-58-0001	Aquatic Chronic4; H413		>= 2.5 - < 10
Amines, C11-14-branched alkyl, mono-hexyl and dihexyl phosphates	80939-62-4 279-632-6  01-2119976322-36-XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 Aquatic Chronic2; H411		>= 2.5 - < 10
disodium sebacate	17265-14-4 241-300-3	Eye Irrit.2; H319		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

	01-2120762063-61-XXXX			
--	-----------------------	--	--	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Halogenated compounds  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Amines, C11-14-branched alkyl, mono-hexyl and dihexyl phosphates	Workers	Inhalation	Long-term systemic effects	0.2 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0.03 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

	Workers	Skin contact	Acute systemic effects	0.03 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35.26 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	Fresh water	0.055 mg/l
	Intermittent use/release	0.01 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	239.64 mg/kg
	Marine sediment	23.96 mg/kg
disodium sebacate	Soil	47.76 mg/kg
	Fresh water	0.018 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.548 mg/kg
	Marine sediment	0.055 mg/kg
	Soil	0.099 mg/kg

## 8.2 Exposure controls

### Engineering measures

none

### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

cific work-place.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	beige
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	1.19 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : >280 °C danger of forming toxic fluorine-containing pyrolysis products.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

###### Product:

Acute inhalation toxicity : Remarks: This information is not available.

###### Components:

###### **Polyurea:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

###### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

###### **disodium sebacate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

##### Skin corrosion/irritation

###### Product:

Remarks : This information is not available.

###### Components:

###### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

### disodium sebacate:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : no

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

### disodium sebacate:

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 437  
Result : Irritating to eyes.  
GLP : yes

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

### disodium sebacate:

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

Genotoxicity in vivo : Remarks: No data available

### Components:

#### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Rodent cell line  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

#### **disodium sebacate:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks : No data available

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 422  
Result: No effects on fertility and early embryonic development were detected.

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **disodium sebacate:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

### STOT - single exposure

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Species : Rat  
LOAEL : 10 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 422

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

No aspiration toxicity classification

##### **disodium sebacate:**

No aspiration toxicity classification

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

### Components:

#### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **Polyurea:**

Toxicity to fish : LC50 : > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 : > 100 mg/l  
Exposure time: 48 h

##### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

### disodium sebacate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38.7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: ISO 10253  
GLP: yes

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### **Polyurea:**

Biodegradability : Result: Not readily biodegradable.

#### **Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 12 %  
Method: OECD Test Guideline 301B

#### **disodium sebacate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 89 %  
Exposure time: 28 d

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version 1.7.1      Revision Date: 22.12.2021      Date of last issue: 02.10.2019  
Date of first issue: 21.11.2014

Print Date:  
22.12.2021

### Components:

#### **Polyurea:**

Partition coefficient: n-octanol/water : log Pow: > 6

#### **Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates:**

Partition coefficient: n-octanol/water : log Pow: < 2.3 (23 °C)  
pH: 7

#### **disodium sebacate:**

Partition coefficient: n-octanol/water : log Pow: -4.9 (20 °C)  
pH: 7.8

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

#### **Global warming potential**

Regulation (EU) No 517/2014 on fluorinated greenhouse gases

#### Components:

##### **1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polyd.:**

100-year global warming potential: 10,300

Further information: ANNEX II OTHER FLUORINATED GREENHOUSE GASES SUBJECT TO REPORTING IN ACCORDANCE WITH ARTICLE 19; Section 3: Other perfluorinated compounds

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

---

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

**ADR** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

E2

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 31.41 %

### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

### SECTION 16: Other information

#### Full text of H-Statements

H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H411 : Toxic to aquatic life with long lasting effects.  
H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

##### Classification of the mixture:

Aquatic Chronic 3                      H412

##### Classification procedure:

Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



## perma High temp. grease SF03

Version	Revision Date:	Date of last issue: 02.10.2019	Print Date:
1.7.1	22.12.2021	Date of first issue: 21.11.2014	22.12.2021

---

This safety data sheet applies only to products originally packed and labelled by perma-tec. The information contained therein may not be reproduced or modified without the express written permission of perma-tec. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of perma-tec provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. perma-tec provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of perma-tec.